

LARGEURS MAXIMALES DÉPANDAGE

Modèle		Disques	Largeur FERTEN SO3	Largeur FERTEN 46
KUHN	MDS 10.1/11.1/12.1/17.1/ 19.1	M1	18 m	18 m
		M1X	24 m	24 m
	MDS 1101/1121/1131/1132/1141/1142	M3	18 m	18 m
		M4	24 m	24 m
		M5	27 m	27 m
	AXERA M/MW	D3 M VxR	18 m	18 m
		D4 M VxR	32 m	36 m
	AXERA H (EMC)	D4 H VxR	32 m	36 m
	AXIS M 20.1/30.1/40.1 (W)	S2	18 m	18 m
		S4	28 m	24 m
		S6	33 m	28 m
		S8	36 m	33 m
	AXIS M 50.1 (W)	S4	28 m	24 m
		S6	33 m	28 m
		S8	36 m	33 m
		S10	36 m	36 m
	AXIS H 30.1/40.1 EMC/EMC+W	S12	40 m	40 m
		S4	28 m	24 m
		S6	33 m	28 m
		S8	36 m	33 m
	AXIS M 50.1 (W)	S4	28 m	24 m
		S6	33 m	28 m
		S8	36 m	33 m
		S10	36 m	36 m
		S12	40 m	40 m
BOGBALLE	DZ	E1	18 m	18 m
		A2	15 m	15 m
	L1	A3	18 m	18 m
		A3	18 m	18 m
	L2/L2W	E2	21 m	21 m
		E6	24 m	24 m
		E2	21 m	21 m
	M2/M2W/M3/M3W/ M6W	E6	28 m	24 m
		E8	36 m	33 m
		E2	21 m	21 m
	EX/EXW	E6	28 m	24 m
		E8	36 m	33 m
VICON KVERNELAND	RO-C EXACTA EL	135-185 mm	12 m	12 m
		185-235 mm	21 m	21 m
	RO-M EXACTA CL (EW)	235-185-135 mm	18 m	18 m
		285-235-185 mm	28 m	28 m
		285-285-285 mm	33 m	33 m
	RO-XL/RO-EDW (GEOspread) EXACTA HL/TL (GEOspread)	285-285-285 mm	33 m	33 m
		330-330-330 mm	40 m	40 m